



VOL TONE GAIN
BLACK TRIANGLE



OVERDRIVE








BLACK TRIANGLE OVERDRIVE /METAL SCREAMER/ BOM. DEADASTRONAUTFX 2017.

Part	Value	Device	Package	Description
5 X 3mm RED LED (for clipping)				
1 x on off indicator LED (of your choice)				
C1	100n	CER/FILMBOX.1	BOX_SMALL	47 - 120pF
C2	47n	CER/FILMBOX.1	BOX_SMALL	47 - 120pF
C3	47uf	electro		
C4	100uf	electro		
C5	47p	CER/FILM1	050X030_025	47 - 120pF
C6	22n	CER/FILMBOX.1	BOX_SMALL	47 - 120pF
C7	100n	CER/FILMBOX.1	BOX_SMALL	47 - 120pF
C8	470n	CER/FILMBOX.1	BOX_SMALL	47 - 120pF
C9	1uf	CER/FILMBOX.3	BOX_BIG	47 - 120pF
C10	100n	CER/FILMBOX.1	BOX_SMALL	47 - 120pF
C11	3.3n	CER/FILMBOX.1	BOX_SMALL	47 - 120pF
C12	10uf	electro		
C13	220n	CER/FILMBOX.1	BOX_SMALL	47 - 120pF
D4	1N5817			
GAIN	1MA	POT		
IC1	TL072 or	4558	OP AMP	(TIP: socket the IC)
ON/OFF	ON/ON	SPDT		TOGGLE SWITCH
ON/OFF/ON	ON/OFF/ON	SPDT		TOGGLE SWITCH
ON/OFF/ON2	ON/OFF/ON	SPDT		TOGGLE SWITCH
R1	10k			
R2	1M			
R3	470k			
R4	10k			
R5	10k			
R6	47r			
R7	1k			
R8	1k			
R9	1k			
R10	100r			
R11	2.2k			
R12	4.7k			
R13	220r			
R15	22k			
TONE	50kb	POT		
VOL	100kA	POT		



BLACK TRIANGLE OVERDRIVE

METAL SCREAMER

DEADASTRONAUTFX 2017.

NOT FOR COMMERCIAL USE

BLACK TRIANGLE SWITCHING

2nd clipping stage

TONES



ON/ON/ON



ON/OFF

GAINS



ON/ON/ON

